What is claimed is:

1. A method for remotely accessing a system, the method comprising:

receiving security information from a first client over a network;

receiving a query from a second client requesting access to the first client over a network;

prompting the second client for security information to allow access to the first client;

enabling the second client access to the first client based on the security information provided by the second client.

- 2. The method as recited in claim 1 wherein the enabling step comprises connecting the second client to the first client without a security problem.
- 3. The method as recited in claim 1 wherein the enabling step comprises connecting the second client through a firewall on the first client without a security problem.
- 4. The method as recited in claim 1 wherein the enabling step comprises connecting the second client through a firewall on the first client using SOAP and HTTP protocols.

- 5. The method as recited in claim 1 further comprising enabling multiple clients to connect to the first client through a Singleton object.
- 6. The method as recited in claim 1 further comprising enabling the second client to access a system on the first client.
- 7. The method as recited in claim 1 further comprising enabling the second client to access a controller system on the first client.
- 8. The method as recited in claim 1 further comprising enabling the second client to access a controller system on the first client based on security information provided by the second client.
- A system for remote access, the system comprising:
 means for receiving security information from a first client over a
 network;

means for receiving a query from a second client requesting access to the first client over a network;

means for prompting the second client for security information to allow access to the first client;

means for enabling the second client access to the first client based on the security information provided by the second client.

- 10. The system as recited in claim 9 wherein the means for enabling the second client access to the first client comprises connecting the second client to the first client without a security problem.
- 11. The system as recited in claim 9 wherein the means for enabling the second client access to the first client comprises connecting the second client through a firewall on the first client without a security problem.
- 12. The system as recited in claim 9 wherein the means for enabling the second client access to the first client comprises connecting the second client through a firewall on the first client using SOAP and HTTP protocols.
- 13. The system as recited in claim 9 further comprising a means for enabling multiple clients to connect to the first client through a Singleton object.
- 14. The system as recited in claim 9 further comprising a means for enabling the second client to access a system on the first client.

- 15. The system as recited in claim 9 further comprising a means for enabling the second client to access a controller system on the first client.
- 16. The system as recited in claim 9 further comprising a means for enabling the second client to access a controller system on the first client based on security information provided by the second client.
- 17. A device that remotely accesses a system, the device comprising:
- a web server that receives security information from a first client over a network;
- a web form that receives a query from a second client requesting access to the first client over a network;
- said web server prompting the second client for security information to allow access to the first client;
- a web service that enables the second client access to the first client

 based on the security information provided by the second client.
 - 18. The device as recited in claim 17 wherein said web service connects the second client to the first client without a security problem.

- 19. The device as recited in claim 17 wherein said web service connects the second client through a firewall on the first client without a security problem.
- 20. The device as recited in claim 17 wherein said web service connects the second client through a firewall on the first client using SOAP and HTTP protocols.
- 21. The device as recited in claim 17 wherein said web service enables multiple clients to connect to the first client through a Singleton object.
- 22. The device as recited in claim 17 wherein said web service enables the second client to access a system on the first client.
- 23. The device as recited in claim 17 wherein said web service enables the second client to access a controller system on the first client.
- 24. The device as recited in claim 17 wherein said web service enables the second client to access a controller system on the first client based on security information provided by the second client.